

Test Report

號碼(No.): CE/2012/C0813 日期(Date): 2012/12/14 頁數(Page): 1 of 18

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

BASIC INFORMATION		
Type of Product	HIGH POWER LED	
Supplier Company Name	EVERLIGHT	
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860,	
	TAIWAN	
Tel/Fax/Email	TEL:886-2685-6688 EXT:6619	
	FAX:886-2685-6898	
	E-MAIL: meelin@everlight.com	
Contact Person	LIN HSIAO HUA	
EVERLIGHT REPORT NO	EVERLIGHT-HIGH POWER LED, EHP-B03XX . B05XX WHITE/WARM WHITE SERIES,	
	Sampling Product : EHP-B03MLG-KM14-P03-30K-N-TR-SGS-14/12/2012	
PRODUCT INFORMATION		
Product/component Sample description	LIGHTING	
Quantity (numbers or weight)	0.8475g	
EVERLIGHT P/N	HIGH POWER LED, EHP-B03XX . B05XX WHITE/WARM WHITE SERIES,	
	Sampling Product : EHP-B03MLG-KM14-P03-30K-N-TR	
Product Lot No	H110001823	
Country of Origin	TAIWAN	
TEST INFORMATION		
Digital Photo(s) of sample(s) after being prepared	JPG EMBEDDED IN EACH REPORT	
Sample preparation	CUTTING	
Test Method	Cd , Pb , Hg , Cr(VI), PBB/PBDE - IEC 62321, Halogen-BS EN 14582	
PQL and/or MDL	Cd , Pb , Hg: < 2 mg/kg; PBB/PBDE: < 5 mg/kg; Halogen: 50 mg/kg	
Name of Analyzer	Cd , Pb , Hg, Cr(VI): Climbgreat Yang;	
	PBB/PBDE: Roman Wong; Halogen: Rita Chen	

收件日期(Sample Receiving Date) 2012/12/06

2012/12/06 TO 2012/12/14 測試期間(Testing

(Please refer to next pages).

Chenyu Kung / Signed for and on behalf SGS TAIWAN LTD.

Chemical Laboratory - Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Test Report

號碼(No.): CE/2012/C0813 日期(Date): 2012/12/14 頁數(Page): 2 of 18

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

結論(Conclusion) 根據客户所提供的樣品, 其多苯環芳香族化合物的測試結果符合德國ZLS的ZEK 01.4-08

及其相關修訂文件中的第1類PAHs要求 (Base upon the performed tests by

submitted samples, the test results of PAHs comply with the PAHs requirement according to (Category 1) of ZEK 01.4-08 of German ZLS and its amendments.)

測試結果(Test Results)

測試部位(PART NAME)No.1 透明黄色膠體 (TRANSPARENT-YELLOW GLUE)

測試部位(PART NAME)No.2 本體(不含透明黃色膠體)(BODY (EXCLUDING THE TRANSPARENT-YELLOW GLUE))

測試項目	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result)	
(Test Items)				No.1	No.2
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法,以感應耦合	2	n.d.	n.d.
鉛 / Lead (Pb)	mg/kg	電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and	2	n.d.	n.d.
汞 / Mercury (Hg)	mg/kg	performed by ICP-AES.	2	n.d.	n.d.
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321: 2008方法, 以UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	n.d.
銻 / Antimony (Sb)	mg/kg	参考US EPA 3050B方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to US EPA 3050B. Analysis was performed by ICP-AES.	2	n.d.	n.d.
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C: 2007方法, 以液相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	n.d.
全氟辛酸(銨)/ PFOA (CAS No.: 335-67-1)	mg/kg	參考US EPA 3550C: 2007方法, 以液相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	n.d.



Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 3 of 18

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果	(Result)
(lest Items)	(Unit)	(Method)	(MDL)	No.1	No.2
四溴雙酚-A / Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	mg/kg	參考DIN 53313方法,以氣相層析/質譜 儀檢測. / With reference to DIN 53313 method. Analysis was performed by GC/MS.	10	n.d.	n.d.
六溴環十二烷 / Hexabromocyclododecane (HBCDD) (CAS No.: 25637-99-4)	mg/kg	參考US EPA 3540C方法,以氣相層析/質譜儀檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.	n.d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	参考EN 14372, 以氣相層析/質譜儀檢測 之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	n.d.
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	参考EN 14372, 以氣相層析/質譜儀檢測 之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	n.d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117- 81-7)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	n.d.
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	n.d.
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0)	%	參考EN 14372, 以氣相層析/質譜儀檢測 之./ With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	n.d.
鄰苯二甲酸二異癸酯 / DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0)	%	参考EN 14372, 以氣相層析/質譜儀檢測 之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.	n.d.
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	n.d.



Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 4 of 18

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

測試項目	單位	測試方法	方法偵測 極限値	結果 (]	Result)
(Test Items)	(Unit)	(Method)	(MDL)	No.1	No.2
鄰苯二甲酸二己酯 / DNHP (Di-n-hexyl	%	參考EN 14372, 以氣相層析/質譜儀檢測	0.003	n.d.	n.d.
phthalate) (CAS No.: 84-75-3)		之. / With reference to EN 14372.			
		Analysis was performed by GC/MS.			
鄰苯二甲酸二 (2-甲氧基乙基)酯 / DMEP	%	參考EN 14372, 以氣相層析/質譜儀檢測	0.003	n.d.	n.d.
(Bis (2-methoxyethyl) phthalate) (CAS		之. / With reference to EN 14372.			<u> </u>
No.: 117-82-8)		Analysis was performed by GC/MS.			
鄰苯二甲酸二戊酯 / DPP (Di-pentyl	%	參考EN 14372, 以氣相層析/質譜儀檢測	0.003	n.d.	n.d.
phthalate) (CAS No.: 131-18-0)		之. / With reference to EN 14372.			<u> </u>
		Analysis was performed by GC/MS.			
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n.d.	n.d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n.d.	n.d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n.d.	n.d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n.d.	n.d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n.d.	n.d.
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n.d.	n.d.
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n.d.	n.d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n.d.	n.d.
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n.d.	n.d.
九溴聯苯 / Nonabromobiphenyl	mg/kg	參考IEC 62321: 2008方法, 以氣相層析	5	n.d.	n.d.
十溴聯苯 / Decabromobiphenyl	mg/kg	/質譜儀檢測. / With reference to	5	n.d.	n.d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	IEC 62321: 2008 and performed by	-	n.d.	n.d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	GC/MS.	5	n.d.	n.d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n.d.	n.d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n.d.	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n.d.	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n.d.	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n.d.	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n.d.	n.d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n.d.	n.d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n.d.	n.d.



Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 5 of 18

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

測試項目	單位	測試方法	方法偵測 極限値	結果(F	Result)
(Test Items)	(Unit)	(Method)	(MDL)	No.1	No.2
多苯環芳香族化合物 / Polynuclear Aromatic Hydrocarbons (PAHs)					
苊 / Acenaphthene (CAS No.: 83-32-9)	mg/kg		0.2	n.d.	n.d.
苊烯 / Acenaphthylene (CAS No.: 208-96-8)	mg/kg		0.2	n.d.	n.d.
蒽 / Anthracene (CAS No.: 120-12-7)	mg/kg		0.2	n.d.	n.d.
苯駢蒽 / Benzo[a]anthracene (CAS No.: 56-55-3)	mg/kg		0.2	n.d.	n.d.
苯駢(a)芘 / Benzo[a]pyrene (CAS No.: 50-32-8)	mg/kg		0.2	n.d.	n.d.
苯(b)苯駢芴 / Benzo[b]fluoranthene (CAS No.: 205-99-2)	mg/kg		0.2	n.d.	n.d.
苯駢菲 / Benzo[g,h,i]perylene (CAS No.: 191-24-2)	mg/kg	参考ZLS standard ZEK 01.4-08方法, 以氣相層析/質譜儀檢測. / With reference to ZLS standard ZEK 01.4- 08 method. Analysis was performed	0.2	n.d.	n.d.
苯(k)苯駢芴 / Benzo[k]fluoranthene (CAS No.: 207-08-9)	mg/kg		0.2	n.d.	n.d.
Chrysene (CAS No.: 218-01-9)	mg/kg		0.2	n.d.	n.d.
二苯駢蒽 / Dibenzo(a,h)anthracene (CAS No.: 53-70-3)	mg/kg		0.2	n.d.	n.d.
苯駢芴 / Fluoranthene (CAS No.: 206-44-0)	mg/kg	by GC/MS.	0.2	n.d.	n.d.
芴 / Fluorene (CAS No.: 86-73-7)	mg/kg		0.2	n.d.	n.d.
茚酮芘 / Indeno[1,2,3-c,d] pyrene (CAS No.: 193-39-5)	mg/kg		0.2	n.d.	n.d.
萘 / Naphthalene (CAS No.: 91-20-3)	mg/kg		0.2	n.d.	n.d.
菲 / Phenanthrene (CAS No.: 85-01-8)	mg/kg		0.2	n.d.	n.d.
芘 / Pyrene (CAS No.: 129-00-0)	mg/kg		0.2	n.d.	n.d.
苯(j)苯駢芴 / Benzo[j]fluoranthene (CAS No.: 205-82-3)	mg/kg		0.2	n.d.	n.d.
苯駢(e)芘 / Benzo[e]pyrene (CAS No.: 192-97- 2)	mg/kg		0.2	n.d.	n.d.
多苯環芳香族化合物18項總和 / Sum of 18 PAHs	mg/kg		-	n.d.	n.d.



Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 6 of 18

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

測試項目	單位	測試方法	方法偵測 極限値	結果 (Result)	
(Test Items)	(Unit)	(Method)	(MDL)	No.1	No.2
鹵素 / Halogen					
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	135	328
鹵素(氣)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	157
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n.d.	n.d.
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	n.d.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗層 材料中不得超過1µg/m2。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $1\mu g/m^2$.)



Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 7 of 18

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

PAHs 參考資料 (Reference information):

依據ZEK 01.4-08之要求:產品中最大值為

(Requirement of ZEK 01.4-08: Restraining maximum values for products)

項目 (Parameter)	第1類 (Category 1)	第2類 (Category 2)	第3類 (Category 3)
	所接觸的玩具. (Material indented to be put in the mouth or	不屬於第1類的材料. (Materials not falling under category 1 with foreseeable contact to	可預見與皮膚接觸短於30 秒(短期與皮膚接觸),以 及不屬於第1類或第2類的 材料. (Materials not falling under category 1 or 2 with foreseeable contact to skin for less than 30 seconds (short-term skin contact).)
苯駢(a)芘 Benzo[a]pyrene (mg/kg)	<mdl (<0.2)**<="" td=""><td>1</td><td>20</td></mdl>	1	20
18項PAH總濃度 (Sum of 18 PAH) (mg/kg)*	<mdl (<0.2)**<="" td=""><td>10</td><td>200</td></mdl>	10	200

注意(Remark):

* = PAH濃度大於0.2mg/kg時,則須計算PAH總濃度值.

(Only PAH substances >0.2 mg/kg are taken into account while calculating the sum of PAHs.)

** = 最大濃度值超出等級一的限制,但在等級二的濃度限制值内時,可能需要確認測試材質是否適用於與食品或與口腔 黏膜接觸,並依照EN 1186 ff. and 🖇 64 LFBG 80.30-1方法,針對特定PAH的遷移測試進行測試。遷移測試的結論需依 照食品規範評估。

(If the limits of category 1 are surpassed but the limits of category 2 still met, the confirmation of suitability of contact with foodstuff or the oral mucosa can be verified by an additional specific migration test of the PAH components according to EN 1186 ff. and § 64 LFBG 80.30-1. The results of the migration test shall be evaluated according to law criteria for foodstuff.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic Documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 8 of 18


億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

- 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Note**: (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95°C

19) 好數今屬材料加入結束,加熱不進脹贫取 / For matallic material add nure water and heat to holling

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic Documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report

號碼(No.): CE/2012/C0813 日期(Date): 2012/12/14 頁數(Page): 9 of 18

億光電子工業股份有限公司

EVERLIGHT ELECTRONICS CO., LTD.


新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

元素以 ICP-AES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-AES)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 /
	Aqua regia, HNO3, HC1, HF, H2O2
玻璃 / Glass	硝酸,氫氟酸 / HNO ₃ /HF
金,鉑,鲍,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO3
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H2SO4, H2O2, HNO3, HC1
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate
	reagent to total digestion

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 10 of 18


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

全氟辛酸(銨)/全氟辛烷磺酸分析流程圖 / PFOA/PFOS analytical flow chart

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 11 of 18


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

四溴雙酚 A 分析流程圖 / TBBP-A analytical flow chart

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 12 of 18


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

六溴環十二烷分析流程圖 / HBCDD analytical flow chart

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.): CE/2012/C0813 日期(Date): 2012/12/14 頁數(Page): 13 of 18


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

可塑劑分析流程圖 / Analytical flow chart of phthalate content

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 14 of 18

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號


NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process ••••••

確認程序 / Confirmation process - · - • ▶





Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 15 of 18


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

多苯環芳香族化合物分析流程圖 / PAHs (Polynuclear Aromatic Hydrocarbons) analytical flow chart

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.) : CE/2012/C0813 日期(Date) : 2012/12/14 頁數(Page) : 16 of 18


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.): CE/2012/C0813 日期(Date): 2012/12/14 頁數(Page): 17 of 18


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN


* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2012/C0813



CE/2012/C0813 NO.1





Test Report


號碼(No.): CE/2012/C0813 日期(Date): 2012/12/14 頁數(Page): 18 of 18

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

CE/2012/C0813 NO.2



** 報告結尾 (End of Report) **